


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)<sup>New!</sup> [more »](#)

OPOS device status change "service object"

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about 11 for **OPOS device status change "service object" 2000**. (0.25 seconds)[PDF] [OMTD, OPOS for MagTek Devices, Programming Reference Manual](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... This event provides a means for a **Service Object** to provide ... OMTD OPOS for MagTek Devices ... a Control needs to alert the application of a **device status change**. ...

[www.magtek.com/documentation/public/99875144-3.pdf](http://www.magtek.com/documentation/public/99875144-3.pdf) - [Similar pages](#)
[PDF] [OLE for Retail POS](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... How an Application Uses an OPOS Control ... 16 Status Model ... 20 Exclusive-Use Devices.....

[www.wincor-nixdorf.com/.../SystemSoftware/OPOSApplicationprogguide1.6,templateId=blob.jsp,property=Data.pdf](http://www.wincor-nixdorf.com/.../SystemSoftware/OPOSApplicationprogguide1.6,templateId=blob.jsp,property=Data.pdf) -

[Similar pages](#)
[PDF] [Ithaca POS \(Point of Sale\)](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Drawer Open **Status** Immediately: If set, the driver ... OPOS drivers are first "Opened", "Claimed" and "Enabled ... Then the **device** is used (ie printing is done ...

[www.ithper.com/dwnlds/driver\\_training.pdf](http://www.ithper.com/dwnlds/driver_training.pdf) - [Similar pages](#)
[PDF] [UnifiedPOS Administrative Process UnifiedPOS Development Process](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... matured beyond the working draft **status** must also be ... which performs the service to activate **device** function ... OPOS A standard API for retail peripherals for Win32 ...

[www.nrf-arts.org/unifiedpos/uposadmin.pdf](http://www.nrf-arts.org/unifiedpos/uposadmin.pdf) - [Similar pages](#)
[Whats New](#)

... Deliverables that have matured beyond the working draft **status** must also be ... is an executable routine which performs the service to activate **device** function ... OPOS. ...

[www.nrf-arts.org/unifiedpos/uposadmin.htm](http://www.nrf-arts.org/unifiedpos/uposadmin.htm) - 88k - Supplemental Result - [Cached](#) - [Similar pages](#)
[PDF] [Ronnie's BP Guide Sections](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Finding Current OPOS Service Objects ... Custom HTML **Status Bar** ... License and Copy Protection **Device Errors**.....257 ...

[www.ts2seminars.com/resources/files/RMS/RMS\\_Implementation\\_Guide\\_April04.pdf](http://www.ts2seminars.com/resources/files/RMS/RMS_Implementation_Guide_April04.pdf) - [Similar pages](#)
[PDF] [OPOS for .Net インプリメンテーションリファレンス](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... UnifiedPOS デバイスクラス OPOS for .NETコントロール ネームスペース名称 BumpBar POS.Device.BumpBar CashChanger POS.Device.CashChanger ...

[download.microsoft.com/download/b/4/f/b4f7949a-61cb-475d-a536-751e7af993e4/OPOS%20for.NET.pdf](http://download.microsoft.com/download/b/4/f/b4f7949a-61cb-475d-a536-751e7af993e4/OPOS%20for.NET.pdf) - [Similar pages](#)
[doc] [第 1 章](#)File Format: Microsoft Word 2000 - [View as HTML](#)

... Microsoft Windows®95/98、Microsoft WindowsNT®、Microsoft Windows®2000およびMicrosoft ...

OPOSイベント、SOData. ... SOData. 形式 void SOData (LONG Status); ...

[download.microsoft.com/download/3/3/b/33b1d559-54c4-4d8e-a336-6f53489d36b9/CPG17rev.doc](http://download.microsoft.com/download/3/3/b/33b1d559-54c4-4d8e-a336-6f53489d36b9/CPG17rev.doc) - [Similar pages](#)

**Bandwidth Market, Ltd**

... [0106] An **OPOS** object converts ... to the **device** to commands that are supported by the **device**, and receives process results from the **device** as **status** reports. ...

[www.bandwidthmarket.com/resources/patents/apps/2001/11/20010035971.html](http://www.bandwidthmarket.com/resources/patents/apps/2001/11/20010035971.html) - 96k - Supplemental Result -

[Cached](#) - [Similar pages](#)

**[PDF] Draft Copy Under Construction**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to select your **device** from the list of available **OPOS** devices. ... a USB connection and doesn't have an **OPOS** driver. ... Each Clerk's IN/OUT **status** (and till Number ...

[www.keystrokepos.com/public/prodinfo/keystrok/kssupt/pdfs/v5draft2.pdf](http://www.keystrokepos.com/public/prodinfo/keystrok/kssupt/pdfs/v5draft2.pdf) - Supplemental Result - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.*

*If you like, you can repeat the search with the omitted results included.*

Free! Google Desktop Search: Search your own computer. [Download now.](#)

**Find:**  emails -  files -  chats -  web history -  media -  PDF

OPOS device status change "serv

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	OPOS and OLE and (device\$1 near\$4 status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:37
L2	125	719/321-327.ccls. and ((device\$1 peripheral\$1) with (status state\$1) with (record\$3 receiv\$3 detect\$3 monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:39
L3	168	719/318,321-327.ccls. and ((device\$1 peripheral\$1) with (status state\$1) with (record\$3 receiv\$3 detect\$3 monitor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:39
L4	102	3 and ((determin\$3 compar\$3) with (status state\$1 change\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:40
L5	101	4 and (record\$3 stor\$3 sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:45
L6	13	5 and (time\$1stamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 08:40
S1	289	719/313-315,328-332.ccls. and (OPOS OLE POS (point\$1of\$1sale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:09
S2	1	S1 and (monitor\$3 with status with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:34
S3	4	S1 and (((monitor\$3 detect\$3 record\$3) with (status change\$1)) same (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:13

S4	517	719/313-315,328-332.ccls. and (manage\$4 with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:37
S5	465	S4 and (object\$1 OLE OPOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:37
S6	115	S5 and ((monitor\$3 detect\$3 record\$3) with (status change\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:38
S7	111	S6 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:39
S8	71	S7 and (API\$1 (application adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 08:39
S9	29	S8 and (POS\$1 (point\$1of\$1sale\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:08
S10	45489	((device\$1 peripheral\$1) with control\$4) and ((monitor\$3 detect\$3) with (status change\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:09
S11	59	S10 and 719/310,313-316, 328-330.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:25
S12	1122	S10 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:09
S13	787	S12 and object\$1 and (interface\$1 API\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10

S14	13	S13 and OLE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10
S15	13	S13 and OLE\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:10
S16	2	"6288716".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:25
S17	2	"5793366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:26
S18	2	"6112235".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 09:26
S19	3666	719/310,313-316,328-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:12
S20	134	S19 and (((monitor\$3 detect\$3 determin\$3 manag\$5) with (status change\$1)) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S21	119	S20 and (object\$1 OLE\$1 OPOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S22	116	S21 and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 09:14
S23	12055	((detect\$3 monitor\$3 receiv\$3 record\$3) with change\$1 with (status state\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:31

S24	355	S23 and (control\$5 near5 (device\$1 peripheral\$1)) with (manag\$6 near4 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S25	262	S24 and (object\$1 OLE\$1 COM\$1 component\$1) and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S26	65	S25 and (POS\$1 point\$1of\$1sale\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:28
S27	1142	((detect\$3 monitor\$3 receiv\$3 record\$3) with change\$1 with (status state\$1) with (device\$1 peripheral\$1) with (object\$1 OLE\$1 COM\$1 component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S28	44	S27 and (control\$5 near5 (device\$1 peripheral\$1)) with (manag\$6 near4 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S29	356	S27 and (interface\$1 API\$1 (programming adj2 interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:32
S30	283	S29 and ((control\$5 manage\$5) near5 (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:35
S31	2	"6721879".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 11:35
S32	1	"4682158".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:36
S33	1	"5935228".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:36
S34	1	"6239800".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:37
S35	1	"6269396".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:47
S36	1	"6363411".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:47

S37	1	"6363421".PN.	USPAT; USOCR	OR	OFF	2005/03/10 11:48
S38	242122	((manag\$5 control\$5) with (device\$1 peripheral\$1)) same (object\$1 OLE\$1 COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:10
S39	2791	S38 and ((monitor\$3 detect\$3 receiv\$4 record\$3) with (status state\$1) with change\$1 with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:11
S40	622	S39 and ((object\$1 COM\$1 component\$1 bean\$1 OLE\$1) with (interface\$1 API\$1 (program\$5 adj2 interface\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:13
S41	47	S40 and (POS OPOS (point\$1of\$1sale))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:19
S42	30	S40 and "719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:20
S43	106	S40 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:24
S44	91	S40 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:45
S45	6587	((((device\$1 peripheral\$1) adj2 controller\$1) same (object\$1 OLE\$1 COM component\$1 bean\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 08:19
S46	394	S45 and (management near3 (system\$1 application\$1 program\$1) with (device\$1 peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 08:20



S47	273	S46 and ((device\$1 peripheral\$1) with (state\$1 status error\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:07
S48	1	"6600958".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S49	1	"6434447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S50	1	"6389466".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S51	1	"6314447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S52	1	"6314447".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S53	1	"6199136".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:57
S54	1	"5959536".PN.	USPAT; USOCR	OR	OFF	2005/03/11 08:58
S55	3	S46 and (control\$4 near2 object\$1) and (service near2 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 09:08
S56	23	OPOS.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:02
S57	1541	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) near3 control\$5) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S58	436	S57 and (management adj2 (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S59	32	S58 and ((control service) adj2 object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:08
S60	106	S58 and API\$1 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:09



S61	3	S60 and ((device\$1 peripheral\$1) with (status state\$1) with (new change\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:11
S62	0	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) adj2 controler) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S63	215	(OPOS (point\$1of\$1sale)) and ((device\$1 peripheral) adj2 controler) and (object\$1 OLE COM component\$1 bean\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S64	69	S63 and (management adj2 (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:10
S65	52	S64 and ((device\$1 peripheral\$1) with (status state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 15:11